

### Centigrade to Fahrenheit

C	F	C	F	C	F
-40	-40	7	44.6	44	111.2
-38	-36.4	8	46.4	45	113
-36	-32.8	9	48.2	46	114.8
-34	-29.2	10	50	47	116.6
-32	-25.6	11	51.8	48	118.4
-30	-22	12	53.6	49	120.2
-28	-18.4	13	55.4	50	122
-26	-14.8	14	57.2	55	131
-24	-11.2	15	59	60	140
-22	-7.6	16	60.8	65	149
-20	-4	17	62.6	70	158
-19	-2.2	18	64.4	75	167
-18	-0.4	19	66.2	80	176
-17	1.4	20	68	85	185
-16	3.2	21	69.8	90	194
-15	5	22	71.6	95	203
-14	6.8	23	73.4	100	212
-13	8.6	24	75.2	105	221
-12	10.4	25	77	110	230
-11	12.2	26	78.8	115	239
-10	14	27	80.6	120	248
-9	15.8	28	82.4	125	257
-8	17.6	29	84.2	130	266
-7	19.4	30	86	135	275
-6	21.2	31	87.8	140	284
-5	23	32	89.6	145	293
-4	24.8	33	91.4	150	302
-3	26.6	34	93.2	155	311
-2	28.4	35	95	160	320
-1	30.2	36	96.8	165	329
0	32	37	98.6	170	338
1	33.8	38	100.4	175	347
2	35.6	39	102.2	180	356
3	37.4	40	104	185	365
4	39.2	41	105.8	190	374
5	41	42	107.6	195	383
6	42.8	43	109.4	200	392

### Pounds of Pressure to Feet of Head

Pounds of Pressure	Feet of Head
1	2.32
2	4.62
3	6.93
4	9.24
5	11.6
6	13.9
7	16.2
8	18.5
9	20.8
10	23.1
11	25.4
12	27.7
13	30
14	32.3
15	34.6
16	37
17	39.3
18	41.6
19	43.9
20	46.2
25	57.7
30	69.3
35	80.8
40	92.4
45	103.9
50	115.5
55	127
60	138.6
65	150.1
70	161.7
75	173.2
80	184.8
85	196.3
90	207.9
95	219.4

### Liters to Gallons

Liters > Gal.		Liters > Gal.		Liters > Gal.	
1	0.264	34	8.97	67	17.68
2	0.528	35	9.25	68	17.95
3	0.792	36	9.58	69	18.21
4	1.06	37	9.76	70	18.48
5	1.32	38	10.03	71	18.74
6	1.58	39	10.29	72	19
7	1.84	40	10.57	73	19.27
8	2.11	41	10.82	74	19.53
9	2.37	42	11.08	75	19.8
10	2.64	43	11.35	76	20.06
11	2.9	44	11.61	77	20.32
12	3.16	45	11.89	78	20.59
13	3.43	46	12.14	79	20.85
14	3.69	47	12.4	80	21.12
15	3.96	48	12.67	81	21.38
16	4.22	49	12.93	82	21.64
17	4.48	<b>*50 N-132M 13.21</b>	84	83	
18	4.75	51	13.46	84	22.17
19	5.01	52	13.72	85	22.44
20	5.28	53	13.99	86	22.7
21	5.54	54	14.25	87	22.96
22	5.8	55	14.52	88	23.23
23	6.07	56	14.78	89	23.49
<b>*24 N-063S 6.33</b>		57	15.04	91	90
25	6.61	58	15.31	91	24.01
<b>*26 N-069M 6.86</b>		59	15.57	93	92
27	7.12	60	15.84	93	24.55
28	7.39	61	16.1	94	24.81
29	7.65	62	16.36	95	25.08
<b>30 **N-069M 7.93</b>		63	16.63	97	96
31	8.18	64	16.89	97	25.6
<b>*32 N-084M 8.44</b>		65	17.16	99	98
33	8.71	66	17.42	99	26.13

\* Model and maximum gallons per minute at 45°F rise.

\*\* The N-069M is capable of 7.9GPM maximum at 35°F rise.